Product brochure

Nijland Cycling

Nindo



NIJLAND

nijland.com



The Nindo is available with an electric assist motor and start-up aid.

Comfort on the go

A reliable, custom-made bike

The Nindo is a versatile tandem designed for comfort, flexibility, and ease of use. It is ideal for situations where an adult and a child cycle together, with the rear rider having the ability to steer. The tandem features an innovative engageable and disengageable connection between the front and rear rider, allowing the front rider to pedal freely and independently. This provides extra flexibility and control, ensuring a safe, comfortable, and enjoyable cycling experience for both rider and passenger.

Flexible Step-Through

The Nindo features a flexible step-through design, making it easier for both younger and older riders to get on and off the bike. This makes the Nindo accessible to a wide range of users, including people with limited mobility.

Adjustable for Every Rider

The Nindo is designed to adapt to the needs of different riders. Whether accommodating taller or shorter users, the seat and handlebars can be adjusted quickly and easily, ensuring optimal comfort for both riders.

Electric Assist Motor

The Nindo is available with or without an electric assist motor. Pedal assistance provides an extra boost, making cycling easier, allowing you to ride uphill more comfortably and cover longer distances. The Nindo E is equipped with a reliable front-wheel motor and a removable battery located in the luggage basket. The motor can be personally adjusted to your preference, with options for 3, 5, or 9 levels of assistance.

Custom-Built Bike

Do you have special requirements or need specific modifications to ride optimally? The Nindo can be fully customized and equipped with various accessories. You can also personalize the bike further by choosing your own color.

Technical Specifications

Nindo



Social Interaction Engageable Coupling Flexible Step-Through

Dimensions

Total length:	238 cm
Total width:	79 cm
Weight:	45 kg
Suitable inseam length:	51 – 71 cm
Crank length:	12 cm / 15 cm
Maximum load capacity:	180 kg
Step-through height:	32 cm
Maximum allowable luggage load:	25 kg
Front tire size:	20 x 1.75 inch
Rear tire size:	26 x 1.75 inch
Tire pressure:	Front: 3 - 5 bar / Rear: 3 - 5 bar

Options & Accessories

Adjustable handlebar	Crank shortenings
Footrests	Adjustable seat post
Balance pedals	Backrest and support strap
Eccentric cranks	Direction indicator set

For a complete overview, please consult the general price list or contact your dealer.

Specifications

Frame:	Steel frame with 2-layer powder coat finish
Color:	Anthracite Speckle, Night Blue, or RAL custom color
Electric system:	Bafang 250W front-wheel motor
Battery:	Removable 468Wh battery, 612Wh optional
Lighting:	Electric: bike battery Non-electric: regular batteries
Drive:	7-speed freewheel
Chain guard:	Enclosed chain guard
Handlebar:	Chrome-plated metal handlebar
Saddle:	Adjustable height
Wheels:	Machined rims with stainless steel spokes
Fenders:	Black coated aluminum
Tires:	Schwalbe Marathon Plus
Pedals:	Classic steel pedals with anti-slip surface
Cranks:	Black steel cranks
Front brakes:	Magura HS11 hydraulic rim brakes
Rear brakes:	Magura HS11 hydraulic rim brakes
Options:	Various options available; please consult your dealer for details

Warrenty
Nijland Cycling provides a 5-year warranty on the frame and front fork. All other components are covered by a 2-year warranty, except for parts subject to wear and tear.

NIJLAND

NIJLAND

Telgenweg 12
8111 CM Heeten

E: info@nijland.com
T: 0572-38 22 22

www.nijland.com